1

ANFORMATION DISCLOSURE STATEMENT BY APPLICANT

Attorney Docket Number	4810-66314-02
Application Number	10/521,071
Filing Date	January 12, 2005
First Named Inventor	Lim
Art Unit	
Examiner Name	

U.S. PATENT DOCUMENTS

Copies of U.S. Patent documents do not need to be provided, unless requested by the Patent and Trademark Office. For patents, provide the patent number and the issue date. For published U.S. applications, provide the publication number and the publication date. For unpublished pending patent applications, provide the application number and the filing date.

Examiner's Initials*	Cite No. (optional)	Number	Publication Date	Name of Applicant or Patentee				
TK		6,429,012	August 2002	Kraus et al.				
TK		US-2003/0180265	September 2003	Scott et al.				
TK		US-2004/0107453	June 2004	Furcht et al.				

Examiner's Initials*	Cite No. (optional)	OTHER DOCUMENTS
TK		HUGHES et al., "Culture of cells of the osteoblast lineage," In Methods in Bone Biology, Chapman & Hall, Arnett and Henderson, eds. 20-22, 1998.

EXAMINER /Taeyoon Kim/ DATE CONSIDERED: 10/05/2006

^{*} Examiner: Initial if reference considered, whether or not in conformance with MPEP 609. Draw line through cite if not in conformance and not considered. Include copy of this form with next communication to applicant.

Sheet 1

Approved for use through 07/31/2006. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use as many sheets as necessary)

Complete if Known							
Application Number	10/521,071						
Filing Date	July 11, 2003						
First Named Inventor	LIM, Sai K.						
Art Unit	N/A						
Examiner Name	N/A						
Attorney Docket Number	4810-66314-02						

Examiner Initials *	Cite No. 1	Document Number Number-Kind code ^{2 (# known)}	Publication Date MM-DD-YYY		lame of Patentee or cant of Cited Document	Page, Columns, Lines, Where Relevant Passages or Relevan Figures Appear				
TK	C1 .	US-5,980,887 A	November 9, 1999	Isner et a	1.					
	FOREIGN PATENT DOCUMENTS									
Examiner	Cite	Foreign Patent Document	Pu	blication	Name of Patentee or	Pages, Columns, Lines,				

U.S. PATENT DOCUMENTS

	xaminer nitials *	Cite No. 1	Foreign Patent Document	Publication Date	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages	
Ľ.		140.	Country Code ³ Number ⁴ Kind Code ⁵ (if known)	MM-DD-YYYY	- Applicant of Ottos Document	Or Relevant Figures Appear	T ⁶
	TK	C2	WO 03/080116 A	October 2, 2003	University of Florida		

NON PATENT LITERATURE DOCUMENTS									
Examiner Initials *	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, pages), volume-issue number(s), publisher, city and /or country where published.	T²						
TK	C3	CHOI K ET AL.: "A common precursor for hematopoietic and endothelial cells", Development, Company of Biologists, Cambridge, GB, vol. 125, 1998, pages 725-732, XP002125755 ISSN: 0950-1991.							
TK	C4	CHUNG YUN SHIN ET AL.: "Lineage analysis of the hemangioblast as defined by FLK1and SCL expression". Development (Cambridge), Vol. 129, no. 23, December 2002 (2002-12), pages 5511-5520, XP002352153 ISSN: 0950-1991.							
TK	C5	ROBB L. ET AL.: "The hemangioblast-an elusive cell captured in culture" BOIESSAYS, Cambridge, GB, vol. 20, 1998, pages 611-614, XP002125754 ISSN:0265-9247.							

Examiner	/Taeyoon Kim/	Date	10/05/0006
Signature	, ,,	Considered	10/05/2006

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Applicant's unique citation designation number (optional). Applicant is to place a checkmark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Form PTO-1449 (Modified)	Atty, Docket No. 4810-6631	Serial No. 10/521,071
LIST OF PATENTS AND PUBLICATIONS DEC \$2 2005	Applicant LIM, SAI K.	
DISCLOSURE STATEMENT (Use several sheets if necessary)	Filing Date January 12, 2005	Group

REFERENCE DESIGNATION U.S. PATENT DOCUMENTS

EX/			DOCUMENT NUMBER		DATE	NAME	CLASS	SUB CLASS	FIL.DATE IF APPROPRIATE					
T	K	Αl	5	3	9	9	3	4	6	21/03/1995	ANDERSON ET AL.	424	93.21	30/03/1997
	1	A2	5	5	9	9	7	0	3	04/02/1997	DAVIS ET AL.	435	373	28/10/1993
		A3	5	9	8	0	8	8	7	09/11/1999	ISNER ET AL	424	93.7	08/11/1996
		A4	6	4	1	0	0	1	5	25/06/2002	GORDON ET AL.	424	93.21	11/05/2000
		A5	0	0	6	8	0	4	5	06/05/2002	REUBINOFF ET AL.	424	93.7	14/03/2001

FOREIGN PATENT DOCUMENTS

				-C> 170 1			·	n . mn	COLDIEDA	67.466	SUB	TRANS	LATION
	DOCUMENT NUMBER				3EK		DATE	COUNTRY	CLASS	CLASS	YES	NO	
Α6	Q	5	1	5	4	١s	2	23/02/1995	L WO				
			1			1							

	OTHER ART (including Author, Title, Date, Pertinent Pages, Etc.)
A7	BAHARY, N., and Zon, L.I. (2001). Development. Endotheliumchicken soup for the
	em oderm. Science 294, 530-531.
A8	BUSTELO, X.R., et al. (1993). Developmental expression of the vav protooncogene. Cell Growth Differ 4, 297-308.
A9	CARMENET, P., et al. (1996). Abnormal blood vessel development and lethality in
	embryos lacking a single VEGF allele. Nature 380, 435-439.
A10	CHOI, K., et al. (1998). A common precursor forhematopoietic and endomelial cells.
	Development 125, 725-732.
All	DAVIS, S., et al. (1996). Isolation of angiopoietin-1, a ligand for the TIE2 receptor, by
	secretion-trap expression cloning. Cell87, 1161-1169.
A12	DOETSCHMAN, T.C., et al. (1985). The in vitro development of blastocyst-derived
	embryonic stem cell lines formation of visceral yolk sac, blood islands and myocardium
	J Embryol Exp Morphol. 1985; 87:27-45.
A13	DZIERZAK, E. (1999). Embryonic beginnings of definitivehematopoietic stem cells.
	Ann N Y Acad Sci 872, 256-262, discussion 262-254.
A14	FERRARA, N., et al. (1996). Heterozygous embryonic lethality induced by targeted
	inactivation of the VEGF gene. Nature 380, 439-442.
A15	FISCHER, K.D., et al. (1995). Defective T-cell receptor signalling and positive selection
	of Vav-deficient CD4+ CD8+thymocytes. Vature 374, 474-477.
A16	GODIN, I., et al. (1995). Emergence of my fit potent hemopoietic cells in the yolk sac and
	paraaortic splanchnopleura in mouse emoryos, reginning at 8.5 dayspostcoitus. Proc
	Natl Acad Sci U S A 92, 773-777.
A17	HAMAGUCHI, I., et al. (1999). In vitro hematopoietic and endothelial cell development
	from cells expressing TEK receptor inmurine aorta-gonad mesonephros region. Blood
	93, 1549-1556.
A18	HERRMANN, B.G., and Kispert, A. (1994). The T genes in embryogenesis. Trends
	Genet 10, 280-286.
A19	HROMAS, R., et al. (1993). Hematopoietic lineage- and stage-restricted expression of
	the ETS oncogene family member PU.1. Blood82, 2998-3004.
A20	JIANG, Y., et al. (2002). Pluripotency of mesenchymal stem cells derived from adult
	marrow. Nature 418, 41-49.
A21	KATZAV, S, et al. (1989). vav, a novel human oncogene derived from a locus
	ubiquitous expressed inhematopoietic cells. Embo J 8, 2283-2290.
A22	KELLED, G. (2001). The Hemangioblast. In Stem Cell Biology, D.R. Marshak
	R.L. Gardener, and D. Gottlieb, eds. (Cold Spring Harbor, Cold Spring Harbor
	Laboratory Press), pp. 329-348.
A23	KELLER, G., et al. (1993). Hematopoietic commitment during embryonic stem cell
	differentiation in culture. Mol Cell Biol 13, 473-486.

_ A24	KELLER, G., et al. (1999). Development of the hematopoietic system in the mouse. Exp	
A25	Heart of 27, 777-787. K. EDY, M., et al. (1997). A common precurso primitive rythropoiesis and	
A26	definitive haematopoiesis. Nature 386, 488-493. LAMMERT, E., et al. (2001). Induction of pancreatic differentiation by signals from	
A27	blood vessels. Science 294, 564-567. LEVENBERG S., et al. (2002) Endothelial cells derived from human embryonic stem	
A28	cells. Proc Natl Acad Sci U S A. 99, 4391-4396. LIM, S.K., exal. (1998). Increased susceptibility in Hp knockout mice during acute	
A29	hemolysis. Blood 92, 1870-1877. LIN, C.S., et al. (1996). Differential effects of anerythropoietin receptor gene disruption	
A30	on primitive and definitiveerythropoiesis. Genes Dev 10, 154-164. MATSUMOTO, K. et al. (2001). Liver organogenesis promoted by endothelial cells	
	prior to vascular function. Science 294, 559-563.	
A31	MCKERCHER, S.R., at al. (1996). Targeted disruption of the PU. gene results in multiple hematopoietic abnormalities. Embo J 15, 5647-5658.	
A32	MERCER, E.H., et al. (1991). The dopamine beta-hydroxylase gene promoter directs expression of E. coli lacZ to sympathetic and otherneurons in adult transgenic mice. Neuron 7, 703-716.	
A33	MOMBAERTS, P., et al. (1992). RAG-1 deficient mice have no mature B and T lymphocytes. Cell 68, 869-877.	
A34	MOORE, M.S.A., and Metcalf, D. (1970). Ontogeny of the hematopoietic system: Yolk sac origin of <i>in vivo</i> and <i>in vitro</i> colony forming cells in the mouse embryo. Br J Hematology 18, 279-296.	
A35	MULLER, A.M., et al. (1994). Development of heroatopoietic stem cell activity in the mouse embryo. Immunity 1, 291-301.	
A36	MURRAY, P.D.F. (1932). The development in vitro of the blood of the early chick embryo. Proc Roy Soc London 11, 497-521.	
A37	NERLOV, C., and Graf, T. (1998). PU.1 induces myeloid lineage commitment in multipotent hematopoietic progenitors. Genes Day 12, 2403-2412.	
A38	NISHIKAWA, S.I., et al. (1998). Progressive lineage analysis by cell sorting and cultur identifies FLK1+VE-cadherin+ cells at a diverging point of endothelial anchemopoietic	
A39	ORKIN, S.H. (2001). Hematopoietic Stem Cells: Molecular Diversification and Developmental Interrelationships. In Stem Cell Biology O.R. Marshak, R.L. Gardener, and D. Gottlieb, eds. (Cold Spring Marbor, Cold Spring Harbor Laboratory Press).	
A40	PEVNY, L., et al. (1991). Erythrold differentiation inchimaeric mice blocked by a targeted mutation in the gene for transcription factor GATA-1. Nature 349, 257-260.	
A41	ROBB, L., et al. (1996). The sel gene product is required for the generation of all hematopoietic lineages in the adult mouse. Embo J 15, 4123-4123.	
A42	ROBERTSON, E.J. (1987) Embryo-derived stem cell lines. InTeratocarcinomas and embryonic stem cells: a practical approach, E.J. Robertson, ed. (Oxford, IRL Press Limited), pp. 71-112.	
A43	ROGERS, M.B., et al. (1991). Specific expression of aretinoic acid-regulated, zinc-finger gene, Rex-1, in preimplantation embryos, trophoblast and spermatocytes. Development 113, 815-824.	
A44 .	SABIN, E.R. (1926). Studies on the origin of blood vessels and of red corpuscles as see in the living blastoderm of the chick during the second day of incubation. Contributions to Embryology 9, 213-262.	
A45	SCOTT, E.W, et al. (1994). Requirement of transcription factor PU.1 in the development of multiplehematopoietic lineages. Science 265, 1573-1577.	
A46	SHALABY, F., et al. (1995). Failure of blood-island formation andvasculogenesis in Flk-1-deficient mice. Nature 376, 62-66.	
A47	SIMON M.C., et al. (1992). Rescue of erythroid development in gene targeted GATA 1- mouse embryonic stem cells. Nat Genet/, 92-98.	
A48	SMITH, J. (1997). Brachyury and the T-box genes. Curr Opin Genet Dev 7, 474-480.	
A49	SUKI, C., et al. (1998). Increased vascularization in miceoverexpressing angiopoietin 1. Solence 282, 468-471.	
1 I		

EXAMINER	/Taeyoon Kim/	DATE CONSIDERED 10/05/2006		
	progenitors does not requireerythropoietin or theerythropoietin receptor. Cell83, 59-67			
A54	WU, H., et al. (1995). Generation of committederythroid BFU-E and CFU-E			
	Enzymology. 225, 900-91			
A53		WILES, M.V. (1993) Embryonic stem cell differentiationin vitro. Methods in		
	Bioessays 23, 78-794.			
A52	MAU, U. (2001). B	Brachyury, the blastopore a sele evolution of the mesoderm.		
	of and T cells in the ab	sence of Vav. Nature 374, 470.		
A51	TARAKHOVSKY, A., et	t al. (1995). Defective antigen receptor-mediated proliferation		

EXAMINER:

Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

JDM:RTG:jcb:aet:lsj